

NOTIFICATION OF ADDENDUM

ADDENDUM NO. 1

DATED 6/02/2010

Control	6210-65-001
Project	RMC - 621065001
Highway	LP0020
County	WEBB

Ladies/Gentlemen:

Attached please find an addendum on the above captioned project. Included in the attachment is an addendum notification which details the changes and the respective proposal pages which were added and/or changed.

Except for new bid insert pages, it is unnecessary to return any of the pages attached.

Bid insert pages must be returned with the bid proposal submitted to the Department, unless your firm is submitting a bid using a computer print out. The computer print out must be changed to reflect the new bid item information.

Contractors and material suppliers, etc. who have previously been furnished informational proposals are not being furnished a copy of the addendum. If you have a subcontractor on the above project, please advise them of this addendum. Acknowledgment of this addendum is not requested if your company has been issued a proposal stamped "This Proposal Issued for Informational Purposes."

You are required to acknowledge receipt of this addendum on the Addendum Acknowledgement form contained in your bid proposal by placing a mark in the box next to the respective addendum.

Failure to Acknowledge receipt of this addendum in your bid proposal will result in your bid not being read.

SUBJECT: PLANS AND PROPOSAL ADDENDUMS

PROJECT: RMC - 621065001

CONTROL: 6210-65-001

COUNTY: WEBB

LETTING: 06/08/2010

REFERENCE NO: 0602

PROPOSAL ADDENDUMS

X PROPOSAL COVER

X BID INSERTS (SH. NO.: 2-5

X GENERAL NOTES (SH. NO.: A

_ SPEC LIST (SH. NO.:

_ SPECIAL PROVISIONS:

ADDED:

DELETED:

_ SPECIAL SPECIFICATIONS:

ADDED:

DELETED:

_ OTHER:

DESCRIPTION OF ABOVE CHANGES

(INCLUDING PLANS SHEET CHANGES)

Proposal Sheet has been revised to include 12 months of barricades.
General Notes has been revised to change 60 working days to "365 calendar
days."

Control	6210-65-001
Project	RMC - 621065001
Highway	LP0020
County	WEBB

PROPOSAL TO THE TEXAS TRANSPORTATION COMMISSION

2004 SPECIFICATIONS

WORK CONSISTING OF INSTALL RAISED MEDIAN, SIGNING & STRIPIN WEBB COUNTY, TEXAS

The quantities in the proposal are approximate. The quantities of work and materials may be increased or decreased as considered necessary to complete the work as planned and contemplated.

This project is to be completed in 365 calendar days and will be accepted when fully completed and finished to the satisfaction of the Executive Director or designee.

Provide a proposal guaranty in the form of a Cashier's Check, Teller's Check (including an Official Check) or Bank Money Order on a State or National Bank or Savings and Loan Association, or State or Federally chartered Credit Union made payable to the Texas Transportation Commission in the following amount:

FIVE THOUSAND (Dollars) (\$5,000)

A bid bond may be used as the required proposal guaranty. The bond form may be detached from the proposal for completion. The proposal may not be disassembled to remove the bond form. The bond must be in accordance with Item 2 of the specifications.

Any addenda issued amending this proposal and/or the plans that have been acknowledged by the bidder, become part of this proposal.

By signing the proposal the bidder certifies:

1. the only persons or parties interested in this proposal are those named and the bidder has not directly or indirectly participated in collusion, entered into an agreement or otherwise taken any action in restraint of free competitive bidding in connection with the above captioned project.
2. in the event of the award of a contract, the organization represented will secure bonds for the full amount of the contract.
3. the signatory represents and warrants that they are an authorized signatory for the organization for which the bid is submitted and they have full and complete authority to submit this bid on behalf of their firm.
4. that the certifications and representations contained in the proposal are true and accurate and the bidder intends the proposal to be taken as a genuine government record.

• **Signed: ****

(1) _____ (2) _____ (3) _____

Print Name:

(1) _____ (2) _____ (3) _____

Title:

(1) _____ (2) _____ (3) _____

Company:

(1) _____ (2) _____ (3) _____

- Signatures to comply with Item 2 of the specifications.

**Note: Complete (1) for single venture, through (2) for joint venture and through (3) for triple venture.

* When the calendar days field contains an asterisk (*) refer to the Special Provisions and General Notes.

NOTICE TO CONTRACTORS

FOR THIS PROJECT THE AUDITED FINANCIAL PREQUALIFICATION REQUIREMENT IS WAIVED. ANY CONTRACTOR INTENDING TO BID ON THIS WORK MUST SUBMIT A COMPLETED “BIDDERS QUESTIONNAIRE”, WITH ANY ADDITIONAL INFORMATION REQUESTED IN THAT FORM, AT LEAST TEN DAYS PRIOR TO THE LETTING DATE.

CONTRACTORS THAT ARE CURRENTLY PREQUALIFIED BASED ON AN AUDITED FINANCIAL STATEMENT DO NOT NEED TO SUBMIT A “BIDDERS QUESTIONNAIRE” SINCE THE NECESSARY INFORMATION IS CONTAINED IN THE AUDITED PREQUALIFICATION DOCUMENTS.

UNIT PRICES MUST BE SUBMITTED IN ACCORDANCE WITH ITEM 2 OF THE STANDARD SPECIFICATIONS OR SPECIAL PROVISION TO ITEM 2 FOR EACH ITEM LISTED IN THIS PROPOSAL.

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	104	2001		REMOVING CONC (PAV) DOLLARS and CENTS	SY	60.000	1
	104	2011		REMOVING CONC (MEDIANS) DOLLARS and CENTS	SY	51.000	2
	104	2021		REMOVING CONC (CURB) DOLLARS and CENTS	LF	159.000	3
	104	2022		REMOVING CONC (CURB AND GUTTER) DOLLARS and CENTS	LF	1,893.000	4
	104	2032		REMOVING CONC (WHEELCHAIR RAMP) DOLLARS and CENTS	SY	27.000	5
	104	2040		REMOVING CONC (PAVERS) DOLLARS and CENTS	SY	400.000	6
	105	2019		REMOVING STAB BASE & ASPH PAV(14") DOLLARS and CENTS	SY	800.000	7
	340	2014	003	D-GR HMA(METH) TY-B PG70-22 DOLLARS and CENTS	TON	525.000	8
	340	2050	003	D-GR HMA(METH) TY-C PG70-22 DOLLARS and CENTS	TON	179.000	9
	360	2005	003	CONC PVMT (CONT REINF-CRCP)(12") DOLLARS and CENTS	SY	60.000	10
	464	2005	003	RC PIPE (CL III)(24 IN) DOLLARS and CENTS	LF	100.000	11

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	465	2001	001	INLET (COMPL)(TY C) DOLLARS and CENTS	EA	1.000	12
	465	2438	001	MANH (COMPL)(JCT BOX)(TY C) DOLLARS and CENTS	EA	1.000	13
	479	2001		ADJ MANHS DOLLARS and CENTS	EA	1.000	14
	496	2002		REMOV STR (INLET) DOLLARS and CENTS	EA	1.000	15
	500	2001	005	MOBILIZATION DOLLARS and CENTS	LS	1.000	16
	502	2001	033	BARRICADES, SIGNS AND TRAFFIC HAN- DLING DOLLARS and CENTS	MO	12.000	17
	506	2034	010	TEMPORARY SEDIMENT CONTROL FENCE DOLLARS and CENTS	LF	40.000	18
	528	2004		LANDSCAPE PAVERS DOLLARS and CENTS	SY	158.000	19
	529	2002		CONC CURB (TY II) DOLLARS and CENTS	LF	3,034.000	20
	529	2010		CONC CURB AND GUTTER (TY II)(REINF) DOLLARS and CENTS	LF	558.000	21

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	530	2010		DRIVEWAYS (CONC) DOLLARS and CENTS	SY	51.000	22
	531	2005		CURB RAMPS (TY 1) DOLLARS and CENTS	EA	1.000	23
	531	2006		CURB RAMPS (TY 2) DOLLARS and CENTS	EA	7.000	24
	644	2001		INS SM RD SN SUP&AM TY 10BWG(1) SA(P) DOLLARS and CENTS	EA	3.000	25
	644	2060		REMOVE SM RD SN SUP & AM DOLLARS and CENTS	EA	2.000	26
	658	2327		INSTL OM ASSM (OM-3R)(FLX)SRF DOLLARS and CENTS	EA	2.000	27
	666	2003		REFL PAV MRK TY I (W) 4" (BRK)(100MIL) DOLLARS and CENTS	LF	2,310.000	28
	666	2006		REFL PAV MRK TY I (W) 4" (DOT)(100MIL) DOLLARS and CENTS	LF	60.000	29
	666	2012		REFL PAV MRK TY I (W) 4" (SLD)(100MIL) DOLLARS and CENTS	LF	3,185.000	30
	666	2036		REFL PAV MRK TY I (W) 8" (SLD)(100MIL) DOLLARS and CENTS	LF	3,126.000	31
	666	2048		REFL PAV MRK TY I (W) 24"(SLD)(100MIL) DOLLARS and CENTS	LF	687.000	32

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	666	2054		REFL PAV MRK TY I (W) (ARROW) (100MIL) DOLLARS and CENTS	EA	9.000	33
	666	2069		REFL PAV MRK TY I(W)(DBL ARROW)(100MIL) DOLLARS and CENTS	EA	1.000	34
	666	2096		REFL PAV MRK TY I (W) (WORD) (100MIL) DOLLARS and CENTS	EA	13.000	35
	666	2105		REFL PAV MRK TY I (Y) 4" (BRK)(100MIL) DOLLARS and CENTS	LF	1,320.000	36
	666	2111		REFL PAV MRK TY I (Y) 4" (SLD)(100MIL) DOLLARS and CENTS	LF	5,542.000	37
	666	2126		REFL PAV MRK TY I (Y) 12"(SLD)(100MIL) DOLLARS and CENTS	LF	27.000	38
	666	2132		REFL PAV MRK TY I (Y) 24"(SLD)(100MIL) DOLLARS and CENTS	LF	344.000	39
	672	2012	034	REFL PAV MRKR TY I-C DOLLARS and CENTS	EA	12.000	40
	672	2015	034	REFL PAV MRKR TY II-A-A DOLLARS and CENTS	EA	184.000	41
	677	2001		ELIM EXT PAV MRK & MRKS (4") DOLLARS and CENTS	LF	10,324.000	42

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	677	2003		ELIM EXT PAV MRK & MRKS (8") DOLLARS and CENTS	LF	251.000	43
	677	2008		ELIM EXT PAV MRK & MRKS (ARROW) DOLLARS and CENTS	EA	10.000	44
	677	2009		ELIM EXT PAV MRK & MRKS (DBL ARROW) DOLLARS and CENTS	EA	1.000	45
	677	2018		ELIM EXT PAV MRK & MRKS (WORD) DOLLARS and CENTS	EA	11.000	46
	5845	2001		MEDIAN BARR SEPARATOR(W)(FURN & INSTL) DOLLARS and CENTS	LF	240.000	47
	5845	2002		MEDIAN BARR SEPARATOR(Y)(FURN & INSTL) DOLLARS and CENTS	LF	362.000	48
	6834	2002		PORTABLE CHANGEABLE MESSAGE SIGN DOLLARS and CENTS	EA	2.000	49

Project Number: RMC - 621065001

County: Webb

Control: 6210-65-001

Highway: Various

GENERAL:

This contract is effective upon issuance of a work order by the Engineer and extend through a period of 365 calendar days or until funds are expended, whichever occurs first. Work begins within 30 days of work order issuance.

Plans are required. Any questions regarding this contract should be referred to:

Texas Department of Transportation
Nelda P. Martinez
1817 Bob Bullock Loop
Laredo, Texas 78043
(956) 712-7475

For questions regarding raised medians cold mix, and/or pavement markings, contact:

Texas Department of Transportation
Guillermo A. Dougherty, Jr., P.E.
1817 Bob Bullock Loop
Laredo, Texas 78043
(956) 764-1213

SUPERVISION:

The pre-work meeting will be held at a location to be determined. All requests for payment will be certified by the Laredo District Director of Transportation Operations.

Texas Department of Transportation
Danny Magee, P.E.
1817 Bob Bullock Loop
Laredo, TX 78043
(956) 764-1230

Become familiar with the work areas before bidding. The quantities shown on the plans are approximate and should not be considered as final quantities.

Designate an on-site representative who has full authority to make decisions with respect to the project. Coordinate all project issues with the Texas Department of Transportation (TxDOT) through the designated on-site representative.

Perform the work required according to latest TxDOT Standard Specifications for Construction and Maintenance of Highways, Streets, and Bridges.

Project Number: RMC - 621065001

County: Webb

Control: 6210-65-001

Highway: Various

Have a copy of the standard specifications book at all work sites, at all times. Purchase standard specification books from General Services Division, Publications Sales Office at (512) 302-0985.

Prior to beginning work, attend a TxDOT-arranged pre-construction meeting. The pre-construction meeting will consider the sequence of work, work locations, traffic control, plans, specifications, unusual conditions, and other pertinent items regarding the work.

Prior to beginning any construction operations, submit a sequence of work that will be followed in order to complete the contract in the allowed time. In the sequence of work, show a beginning date and a duration period in working days for each highway. Submit any changes to this sequence for approval

EQUIPMENT AND SUPPLIES:

Do not begin work until all equipment has been inspected and found to be in good working condition and deemed safe.

Furnish suitable machinery, equipment, and construction forces as deemed necessary for proper prosecution of the work.

Do not mix materials, store materials or equipment, or repair equipment on top of concrete pavement or bridge decks, unless specifically authorized. Permission may be granted to store materials on surface if approved and no damage or discoloration will result to the surface.

References to manufacturer's trade name or catalog numbers are made for the purpose of identification only. Furnish like materials of other manufacturers provided they are of equal or better quality and comply with the specifications for this project and are approved.

Do not park personal vehicles within the right-of-way at any time, including any section closed to public traffic.

All employees will wear department-approved safety hats and safety vests at all times at work site:

Outside vehicles at all outdoor work sites. This includes anyone who occasionally visits work sites either on the highway or within the highway right-of-way.

Where danger exists of head injury from impact, falling or flying objects, and electrical shock or burns.

Non-compliance with this safety requirement will result in suspension of work. Perform all work Monday through Friday. Do not perform any work on Saturdays or Sundays, unless otherwise approved. Perform work such that all equipment/machines are off the road between one half-hour before sunset and one half-hour after sunrise.

Project Number: RMC - 621065001

County: Webb

Control: 6210-65-001

Highway: Various

Repair all damage caused by daily operations and restore facilities to service in a timely manner, as directed, at no additional cost to TxDOT.

Clean up all work areas and remove all loose material resulting from everyday operations each day or before the work is suspended for the day. No loose material will remain at the worksite overnight.

Legally dispose of all debris, including all excess paint and water material.

Leave the project site clean and neat in appearance upon completion and before final acceptance of the project.

Coordinate a sequence of construction and traffic control plan with any adjacent construction projects to ensure the uninterrupted flow of traffic.

Obey all municipal and county government ordinances and regulations.

Procure all municipal and county government permits and licenses necessary to perform the work.

Contact all utility companies prior to beginning any excavation work in the area of existing utilities to prevent and damaged or interference. This action; however, will in no way be interpreted as relief of responsibilities under the terms of this contract as set out in the plans and specifications. Repair any damage caused by daily operations and restore facilities to service in a timely manner as directed at no additional costs to TxDOT.

ITEM 4 SCOPE OF WORK:

This contract is a non-site specific contract. Specific project locations, types of installation, and plan details will be incorporated into this contract by work orders at later dates. It is anticipated that work will be district wide in the following county:

Webb

The intent of these plans and specifications is to describe the complete work to be performed under this project. This project consists of the placement pavement markings, ADA compliant wheelchair ramps and/or removal of concrete and raised median, placement of raised median place cold mix, and curb & gutter.

ITEM 5 CONTROL OF THE WORK:

Contact the Laredo District Signal Section (956) 712-7770 for coordination with TxDOT underground lines and/or facilities.

Project Number: RMC - 621065001

County: Webb

Control: 6210-65-001

Highway: Various

ITEM 8 PROSECUTION AND PROGRESS:

Perform work such that all equipment/machines are off the road between one half-hour before sunset and one half-hour after sunrise.

The contract shall commence upon an initial work order and continue for 365 calendar days or until funds are expended, whichever occurs first. Multiple work orders to procure as needed, non-site specific work will be issued during the contract period.

Each called-out work will be initiated by phone and then followed-up with a facsimile referenced to work location and specified work operation. Each call-out will begin within 72 hours of written notification.

Notify the Engineer within 24 hours in advance of work operations. In addition, notify the Engineer or his representative by 8:15 A.M. should work operations not be accomplished for any reason.

ITEM 105 REMOVING STABILIZE BASE AND ASPHALT CONCRETE:

Asphalt pavement, concrete pavement and base material to be removed under this Item will remain the property of the Contractor.

ITEM 340 DENSE GRADED HOT MIX ASPHALT (METHOD):

HMACP TY	Application Rate	PG Binder	Lab Density
A	120 #/SY/IN	70-22	97%
B	120 #/SY/IN	70-22	97%
C	115 #/SY/IN	70-22	97%
D	115 #/SY/IN	70-22	97%

In addition to the tack coat materials specified in these standard specifications, MS-2 or MS-1 may be used.

Use the point of sampling for tests, test method TEX-217-F (part I and part II), for the coarse aggregate stockpile when the dryer-drum mixing plant is used. The point of sampling when the batch plant is used will be at the hot bins.

Look at Item 585 for ride quality requirements.

ITEM 500 MOBILIZATION:

“Materials-on-Hand” payments will not be considered in determining percentages used to compute mobilization payments.

Project Number: RMC - 621065001

County: Webb

Control: 6210-65-001

Highway: Various

ITEM 502 BARRICADES, SIGNS AND TRAFFIC HANDLING:

Designate, as the Contractor Responsible Person (CRP), an English speaking employee on-call nights and weekends (or any other time that work is not in progress) with a local address and telephone number for maintenance of signs and barricades. This employee will be located within one (1) hour of traveling time to the project site. Notify the Engineer in writing of the name, address and telephone number of this employee. Furnish this information to local law enforcement officials.

The time frame for the Contractor to provide properly maintained traffic control devices before they are considered to be in non-compliance with this Item, is 48 hours regardless of the days of the week involved after notification is done in writing by the Engineer.

When advanced warning flashing arrow panel(s) is/are specified, maintain only standby unit in good condition at the job site ready for immediate use is required.

Place eight inches of both red and white stripes in an inverted "V" design on the back of all TMA's. Conform all sheeting to Departmental Material Specification D-9-8300, Type C.

Notify the Engineer (956-764-1213) at least two weeks prior to a proposed traffic pattern change(s) that will require a revision to traffic signals. This is required to provide the State/City time to perform a traffic study, determine the new signal timing and phasing settings that need to be implemented with the traffic change.

Provide two-way radios in areas when flagmen do not have visual contact with one another or cannot communicate with one another.

Provide shadow vehicles equipped Truck Mounted Attenuators (TMA) as shown on Traffic Control Plan (TCP) standards (2 series).

Erect signs in locations not obstructing the traveling public's view of the normal roadway signing or necessary sight distance at intersections and curves.

ITEM 636 ALUMINUM SIGNS:

Salvage and deliver all aluminum sign faces to the local TxDOT maintenance office.

ITEM 644 SMALL ROADSIDE SIGN SUPPORTS AND ASSEMBLIES:

Salvage and deliver all aluminum sign faces to the local TxDOT maintenance office.

Project Number: RMC - 621065001

County: Webb

Control: 6210-65-001

Highway: Various

ITEM 678 PAVEMENT SURFACE PREPARATION FOR MARKINGS:

Prior to placement of all raised pavement markers on concrete pavement, the surface will be blast-cleaned using an abrasive blasting medium. This work will not be paid for directly, but will be subsidiary to Bid Item 672 "Raised Pavement Markers."

ITEM 6834 PORTABLE CHANGEABLE MESSAGE SIGN:

Provide two (2) electronic portable changeable message signs as required by the Engineer. Provide backups and keep operational and available on the jobsite at all times during traffic control operations. The electronic portable changeable message signs will be there for the entire duration of the project.